Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original) An isolated polynucleotide encoding a mosquito deoxyribonucleoside kinase derived from a yellow fever mosquito, said isolated polynucleotide being selected from the group consisting of:
 - a. an isolated polynucleotide encoding multisubstrate deoxyribonucleoside kinase derived from yellow fever mosquito Aedes aegypti,
 - b. an isolated polynucleotide having the nucleotide sequence of SEQ ID No. 1,
 - c. an isolated polynucleotide encoding a polypeptide having the sequence of SEQ ID No. 2,
 - d. an isolated polynucleotide encoding a multisubstrate deoxyribonucleoside kinase, wherein said polynucleotide has at least 70% sequence identity to SEQ ID No. 1,
 - e. an isolated polynucleotide encoding a multisubstrate deoxyribonucleoside kinase having at least 80% sequence identity to SEQ ID No. 2,

- f. an isolated polynucleotide capable of hybridising to the complement of a polynucleotide having the nucleotide sequence of SEQ ID No. 1, said isolated polynucleotide encoding a multisubstrate deoxyribonucleoside kinase, and
- g. the complement of any of a through f.
- 2. (Currently Amended) The polynucleotide of claim 1, encoding a deoxyribonuleoside kinase enzyme derived from a Aedes aegypti, which kinase enzyme, when compared to human Herpes simplex virus 1 (HSV-TK1) and upon transformation into an eukaryotic cell, decreases at least four (4) fold the IC50 of at least one nucleoside analogue, such as Gemeitabine or AraC.
- 3. (Currently Amended) The polynucleotide of claim 1, encoding a deoxyribonucleoside kinase variant derived from mosquito, which deoxyribonucleoside kinase enzyme variant, when compared to human Herpes simplex virus 1 (HSV-TK1) and upon transformation into an eukaryotic cell, decreases at least four (4) fold the IC₅₀ of at least one nucleoside analogue, such as Gemeitabine or AraC.

- 4. (Original) The polynucleotide of claim 1, wherein the isolated polynucleotide has the nucleotide sequence of SEQ ID No. 1.
- 5. (Original) The polynucleotide of claim 1, wherein the isolated polynucleotide encodes a polypeptide having the sequence of SEQ ID No. 2.
- 6. (Original) The polynucleotide of claim 1, wherein the isolated polynucleotide is capable of hybridising to the complement of a polynucleotide having the nucleotide sequence of SEQ ID No. 1, said isolated polynucleotide encoding a multisubstrate deoxyribonucleoside kinase.
- 7. (Currently Amended) The isolated polynucleotide of claim 1, which has at least 73%, preferably at least 75%, more preferred at least 80%, more preferred at least 85%, even more preferred at least 90%, yet more preferred at least 90%, yet more preferred at least 90%, yet more preferred at least 95%, most preferred at least 98% identity to the polynucleotide sequence presented as SEQ ID NO: 1 when determined over its entire length.
- 8. (Currently Amended) The isolated polynucleotide of claim 1, encoding a multisubstrate deoxyribonucleoside kinase having at least 80% sequence

identity to SEQ ID No. 2, more preferably at least 85%, more preferably at least 90%, more preferably at least 95%, more preferably at least 98%, when determined over the entire length of SEQ ID No. 2.

- 9. (Original) The isolated polynucleotide of claim 1, encoding a C-terminally truncated multisubstrate deoxyribonucleoside kinase.
- 10. (Currently Amended) An isolated mosquito deoxyribonucleoside kinase enzyme selected from the group consisting of:
 - a. an isolated mosquito deoxyribonucleoside kinase enzyme encoded by the polynucleotide of any one of the claims $\frac{\text{claim}}{1-9},$
 - b. an isolated mosquito deoxyribonucleoside kinase enzyme derived from from yellow fever mosquito Aedes aegypti,
 - c. a polypeptide having the sequence of SEQ ID No. 2, and
 - d. a multisubstrate deoxyribonucleoside kinase having at least 80% sequence identity to SEQ ID No. 2.
- 11. (Original) The isolated multisubstrate deoxyribonucleoside kinase of claim 7, being derived from yellow fever mosquito Aedes aegypti

- 12. (Currently Amended) The isolated deoxyribonucleoside kinase of claim 10, which multisubstrate deoxyribonucleoside kinase enzyme, when expressed and compared to human Herpes simplex virus 1 (HSV-TK1) and upon transduction into a eukaryotic cell, decreases at least four (4) fold the IC₅₀ of at least one nucleoside analogue, such as Gemeitabine or AraC.
- 13. (Currently Amended) The mosquito deoxyribonuleoside kinase of claim 10, comprising the amino acid sequence of SEQ ID NO: 2, or an amino acid sequence of at least 85%, more preferred at least 90%, yet more preferred at least 95%, most preferred at least 98% identity with this sequence, when determined over its entire length.
- 14. (Original) The mosquito deoxyribonuleoside kinase of claim 10 comprising the amino acid sequence of SEQ ID NO: 2, or a functional analogue thereof.
- 15. (Currently Amended) The mosquito deoxyribonuleoside kinase of any one of claims claim 10-14, which decreases at least three (3) fold the lethal dose (LD₁₀₀) of at least one nucleoside analogue when compared to the action of a thymidine kinase derived from human Herpes simplex virus 1 (HSV-TK1).

- 16. (Currently Amended) A vector construct comprising the polynucleotide of any of claims $\frac{1-9}{2}$, and a promoter operably linked to the polynucleotide.
- 17. (Original) The vector construct of claim 16 being a viral vector, in particular a Herpes simplex viral vector, an adenoviral vector, an adenovirus-associated viral vector, a lentivirus vector, a retroviral vector or a vacciniaviral vector.
- 18. (Currently Amended) A packaging cell line capable of producing an infective virion comprising the vector of either of claims—claim 16—to 17.
- 19. (Currently Amended) An isolated host cell genetically modified with the polynucleotide of any of claims claim 1-9, or the vector of either of claims 16-17.
- 20. (Currently Amended) The host cell of claim 19, which is a eukaryotic cell such as a human cell, a dog cell, a monkey cell, a rat cell or a mouse cell.
- 21. (Currently Amended) The host cell of claim 20, being selected from the group consisting of human stem cells,

and human precursor cells, such as human neural stem or precursor cells, human hematopoietic stem or precursor cells, human hepatocyte progenitors, and mesenchymal stem cells.

- 22. (Original) The host cell of claim 19, which is a prokaryotic cell such as a bacterial cell, such as *E. coli*.
 - 23. (Cancelled)
 - 24. (Cancelled)
 - 25. (Cancelled)
- 26. (Currently Amended) Articles An article containing a nucleoside analogue and a source of an Aedes aegypti derived deoxyribonucleoside kinase for the simultaneous, separate or successive administration in cancer therapy.
- 27. (Currently Amended) Articles according to claim 26, wherein the nucleoside analogue is a cytidine analogue.

- 28. (Currently Amended) Articles according to claim 26, wherein the nucleoside analogue is Gemcitabine or AraC, preferably Gemcitabine.
- 29. (Currently Amended) Articles containing a nucleoside analogue and a source of an Aedes aegypti derived deoxyribonucleoside kinase for the simultaneous, separate or successive administration in cancer therapy according to claim 26, wherein the source of deoxyribonucleoside kinase comprises the nucleotide sequence of any of the claims 1 to 9 or the vector of either of claims 16 and 17 claim 1.
- 30. (Currently Amended) Articles containing a nucleoside analogue and a source of an Aedes aegypti derived deoxyribonucleoside kinase for the simultaneous, separate or successive administration in cancer therapy according to claim 26, wherein the source of deoxyribonucleoside kinase comprises the polypeptide of any of the claims—claim 10—to 15.
- 31. (Currently Amended) Articles containing a nucleoside analogue and a source of an Aedes aegypti derived deoxyribonucleoside kinase for the simultaneous, separate or successive administration in cancer therapy according to claim 26, wherein the source of deoxyribonucleoside kinase comprises the host cell of either of claims—claim 19—to 22.

- 32. (Currently Amended) Articles containing a nucleoside analogue and a source of an Aedes aegypti derived deoxyribonucleoside kinase for the simultaneous, separate or successive administration in cancer therapy according to claim 26, wherein the source of deoxyribonucleoside kinase comprises the packaging cell line of claim 18.
- 33. (Currently Amended) A method of sensitising a cell to a nucleoside analogue prodrug, which method comprises the steps of
 - (i) transfecting or transducing said cell with a polynucleotide sequence according to any of claims claim 1 to 9 encoding a deoxyribonucleoside kinase enzyme, that promotes the conversion of said prodrug into a (cytotoxic) drug; and
 - (ii) delivering said nucleoside analogue prodrug to said cell;

wherein said cell is more sensitive to said (cytotoxic) drug than to said nucleoside analogue prodrug.

34. (Original) The method of claim 33, wherein the nucleoside analogue is a cytidine analogue.

- 35. (Currently Amended) The method of claim 33, wherein the nucleoside analogue is gemcitable (dFdC) or $AraC_{\tau}$ preferably gemcitable.
- 36. (Currently Amended) A method of inhibiting a pathogenic agent in a warm-blooded animal, which method comprises administering to said animal a polynucleotide of any of claims claim 1-9, or a vector of either of claims 16 to 17.
- 37. (Original) The method of claim 36, wherein said polynucleotide sequence or said vector is administered in vivo.
- 38. (Currently Amended) The method of either of claims claim 36-37, wherein said pathogenic agent is a virus, a bacteria or a parasite.
- 39. (Currently Amended) The method of either of elaims claim 36-37, wherein said pathogenic agent is a tumour cell.
- 40. (Currently Amended) The method of either of claims claim 36-37, wherein said pathogenic agent is an autoreactive immune cell.

- 41. (Currently Amended) The method of any of claims— claim 36—40, further comprising the step of administering a nucleoside analogue to said warm-blooded animal.
- 42. (Original) The method of claim 41, wherein said nucleoside analogue is a cytidine analogue.
- 43. (Original) The method of claim 41, wherein said nucleoside analogue is gemcitabine (dFdC), or AraC, preferably gemcitabine.
 - 44. (Cancelled)
 - 45. (Cancelled)
- 46. (Currently Amended) A method of phosphorylating a nucleoside or a nucleoside analog, comprising the steps of
 - i) subjecting the nucleoside or nucleoside analog to the action of the mosquito deoxyribonucleoside kinase enzyme of any of claims— claim 10—to—15, and ii) recovering the phosphorylated nucleoside or nucleoside analog.

47. (Original) The method of claim 46, wherein the nucleoside or nucleoside analog is a purine.

- 48. (Currently Amended) A method of non-invasive nuclear imaging of transgene expression of a mosquito deoxyribonucleoside kinase enzyme of the invention in a cell or subject, which method comprises the steps of
 - (i) transfecting or transducing said cell or subject with a polynucleotide sequence encoding the mosquito deoxyribonucleoside kinase enzyme of any of the claims— claim 10—to—15, which enzyme promotes the conversion of a substrate into a substrate monophosphate;
 - (ii) delivering said substrate to said cell or subject; and
 - (iii) non-invasively monitoring the change to said prodrug in said cell or subject.
- 49. (Original) The method of claim 48, wherein the monitoring carried out in step (iii) is performed Single photon Emission Computed Tomography (SPECT), by Positron Emission Tomography (PET), by Magnetic Resonance Spectroscopy (MRS), by Magnetic Resonance Imaging (MRI), or by Computed Axial X-ray Tomography (CAT), or a combination thereof.

5

- 50. (Currently Amended) The method of either of elaims claim 48 to 49, wherein the substrate is a labelled nucleoside analogue.
 - 51. (Cancelled)
 - 52. (Cancelled)
 - 53. (Cancelled)
 - 54. (Cancelled)
- 55. (Currently Amended) A method of preparing the deoxyribonucleoside kinase enzyme of any of claims claim 10 to 15 comprising culturing a host cell genetically modified with a polynucleoside encoding said enzyme in expressible form according to any of claims claim 19 to 22 and recovering the enzyme from the culture medium and/or the cells.